

C. difficile surveillance

Quarterly report

October - December 2017

Key points

- CDI reports for hospital inpatients aged 65 years and over decreased by 8% (from 62 to 57 episodes) during October December 2017 compared to July September 2017.
- CDI rate per 1,000 bed days decreased by 12% during October December 2017 compared to July - September 2017.
- CDI reports for community patients aged 65 years and over increased by 9% (from 35 to 38 episodes) during October December 2017 compared to July September 2017.
- Total CDI reports, for hospital inpatients and community patients combined, aged two years and over, decreased by 2% during October - December 2017 compared to July - September 2017 (from 122 to 120 episodes).
- CDI reports for hospital inpatients aged 65 years and over decreased by 21% between the 2015/16 and 2016/17 financial years.
- During October December 2017 the most prevalent ribotypes for CDI inpatients are 002 (18%), 014 (12%) and 020 (9%) (Table 1) and in the community are 015 (14%), 002 (11%) and 014 (11%) (Table 2).

For further information or clarification on HCAI definitions, please refer to previous reports or contact hcaini@hscni.net

Surveillance of C. difficile infection (CDI)




Figure 1: Total CDI episodes, <u>inpatient and community</u>, in Northern Ireland, by quarter (patients ≥ 65 years), between 2005 and 2017




Figure 2a: Total CDI <u>inpatient</u> episodes in Northern Ireland, by quarter (patients ≥ 65 years), between 2005 and 2017




Figure 2b: Total CDI <u>inpatient</u> episodes in Northern Ireland, by quarter (patients ≥ 65 years), between 2008 and 2017

Statistical process control (SPC) charts

SPC charts allow a distinction to be made between natural variation and 'special cause variation',
where something unusual may be occurring. Trends in CDI rates since July 2005 are shown for
each HSCT in appendix B.




Figure 3: Statistical process control chart for quarterly *C. difficile* rates among <u>inpatients</u> in Northern Ireland aged 65 years and over (for HSCT level, see appendix B)

Results from the NI Ribotype Surveillance Programme

Table 1: A summary of *C. difficile* ribotypes in <u>Hospital Inpatients</u> aged 2 years and over, and the percentage of each against the overall total, in Northern Ireland during routine surveillance, January – December 2017.

| | Jan - Mar 2017 | | Apr - Jun 2017 | | Jul - Se | р 2017 | Oct - Dec 2017 | |
|----------------------|----------------|------|----------------|------|----------|--------|----------------|------|
| Ribotype | Number | % | Number | % | Number | % | Number | % |
| 001 | 3 | 4.3 | 3 | 3.3 | 4 | 4.8 | 2 | 2.6 |
| 002 | 10 | 14.3 | 8 | 8.7 | 12 | 14.5 | 14 | 18.4 |
| 005 | 2 | 2.9 | 4 | 4.3 | 5 | 6.0 | 2 | 2.6 |
| 011 | 2 | 2.9 | 3 | 3.3 | 4 | 4.8 | 2 | 2.6 |
| 014 | 8 | 11.4 | 9 | 9.8 | 7 | 8.4 | 9 | 11.8 |
| 015 | 4 | 5.7 | 7 | 7.6 | 10 | 12.0 | 5 | 6.6 |
| 018 | 1 | 1.4 | 0 | 0.0 | 3 | 3.6 | 5 | 6.6 |
| 020 | 5 | 7.1 | 4 | 4.3 | 3 | 3.6 | 7 | 9.2 |
| 023 | 2 | 2.9 | 8 | 8.7 | 3 | 3.6 | 5 | 6.6 |
| 078 | 7 | 10.0 | 15 | 16.3 | 9 | 10.8 | 3 | 3.9 |
| 193 | 2 | 2.9 | 2 | 2.2 | 7 | 8.4 | 1 | 1.3 |
| Other | 15 | 21.4 | 23 | 25.0 | 11 | 13.3 | 14 | 18.4 |
| Not groupable** | 3 | 4.3 | 3 | 3.3 | 2 | 2.4 | 2 | 2.6 |
| lot on ribotype list | 3 | 4.3 | 1 | 1.1 | 1 | 1.2 | 4 | 5.3 |
| Not isolated*** | 3 | 4.3 | 2 | 2.2 | 2 | 2.4 | 1 | 1.3 |
| Total | 70 | | 92 | | 83 | | 76 | |

Table 2: A summary of *C. difficile* ribotypes in <u>Community Patients</u> aged 2 years and over, and the percentage of each against the overall total, in Northern Ireland during routine surveillance, January – December 2017.

| Ribotype | Jan - Ma | ar 2017 | Apr - Ju | Apr - Jun 2017 | | p 2017 | Oct - De | c 2017 |
|----------------------|----------|---------|----------|----------------|--------|--------|----------|--------|
| | Number | % | Number | % | Number | % | Number | % |
| 001 | 0 | 0.0 | 0 | 0.0 | 2 | 5.1 | 2 | 4.5 |
| 002 | 4 | 11.8 | 5 | 12.2 | 5 | 12.8 | 5 | 11.4 |
| 005 | 0 | 0.0 | 6 | 14.6 | 0 | 0.0 | 0 | 0.0 |
| 011 | 1 | 2.9 | 0 | 0.0 | 0 | 0.0 | 1 | 2.3 |
| 014 | 2 | 5.9 | 3 | 7.3 | 4 | 10.3 | 5 | 11.4 |
| 015 | 1 | 2.9 | 7 | 17.1 | 3 | 7.7 | 6 | 13.6 |
| 018 | 1 | 2.9 | 1 | 2.4 | 1 | 2.6 | 1 | 2.3 |
| 020 | 0 | 0.0 | 2 | 4.9 | 1 | 2.6 | 3 | 6.8 |
| 023 | 2 | 5.9 | 1 | 2.4 | 0 | 0.0 | 2 | 4.5 |
| 078 | 7 | 20.6 | 4 | 9.8 | 6 | 15.4 | 4 | 9.1 |
| 193 | 3 | 8.8 | 1 | 2.4 | 4 | 10.3 | 0 | 0.0 |
| Other | 5 | 14.7 | 8 | 19.5 | 10 | 25.6 | 7 | 15.9 |
| Not groupable** | 5 | 14.7 | 2 | 4.9 | 1 | 2.6 | 4 | 9.1 |
| Not on ribotype list | 1 | 2.9 | 0 | 0.0 | 1 | 2.6 | 3 | 6.8 |
| Not isolated*** | 2 | 5.9 | 1 | 2.4 | 1 | 2.6 | 1 | 2.3 |
| Total | 34 | | 41 | • | 39 | | 44 | |

^{*} Figures are provisional

^{** &#}x27;Not groupable' ribotypes do not match existing profiles

*** 'Not isolated' indicates isolates that have no ribotype information supplied, with at least six weeks since the date of the specimen. *Note: 1 CDI record in Oct-Dec 2017 was not tested and classified as Not isolated.*

Note: No Ribotype 027 results reported during Jan-Dec 2017.

Table 3: Descriptive data for *C. difficile* ribotypes 002, 014 and 015 in Northern Ireland <u>Hospital</u> <u>Inpatients and Community Patients</u>, October - December 2017.

| | 002 (n =19) | | 014 (| n = 14) | 015 (n = 11) | | |
|---------------|-------------|------|-------|---------|--------------|------|--|
| Age | | | | | | | |
| range | 55 | - 98 | 2 | - 92 | 50 - 87 | | |
| median | 82 | | 82 | | | 77 | |
| Sex | n | % | n | % | n | % | |
| Female | 18 | 94.7 | 8 | 57.1 | 7 | 63.6 | |
| Male | 1 | 5.3 | 6 | 42.9 | 4 | 36.4 | |
| Trust | | | | | | | |
| Belfast | 7 | 36.8 | 8 | 57.1 | 5 | 45.5 | |
| Northern | 7 | 36.8 | 0 | 0.0 | 3 | 27.3 | |
| South Eastern | 2 | 10.5 | 2 | 14.3 | 0 | 0.0 | |
| Southern | 2 | 10.5 | 1 | 7.1 | 1 | 9.1 | |
| Western | 1 | 5.3 | 3 | 21.4 | 2 | 18.2 | |
| Source | | | | | | | |
| Inpatient | 14 | 73.7 | 9 | 64.3 | 5 | 45.5 | |
| Community* | 5 | 26.3 | 5 | 35.7 | 6 | 54.5 | |

^{*} Community specimens include those taken from Accident and Emergency, Outpatients, GPs, Hospice, Care Homes, Hospital Care at Home and Psychiatric facilities.




Figure 4: Quarterly rates of *C. difficile* among <u>inpatients aged 65 years and over</u>, by HSCT, January 2016 - December 2017, compared with annual Northern Ireland and HSCT rates for 2017




Figure 5: *C. difficile* rates during October - December 2017 - <u>Inpatients aged 65 years and over</u>, by hospital, including HSCT rates and average rate for Northern Ireland (see appendix A, Table 4)




Figure 6: *C. difficile* rates during October - December 2017 - <u>Inpatients aged two years and over</u>, by hospital, including HSCT rates and average rate for Northern Ireland (see appendix A, Table 5)

Appendix A

Table 4: Quarterly rate of *C. difficile* reports in patients aged 65 years and over, by hospital, Jan 2017 - Dec 2017

| Hospital | Jan - Mar 2017 | Apr - Jun 2017 | Jul - Sep 2017 | Oct - Dec 2017 |
|--|----------------|----------------|----------------|----------------|
| Tiospitai | Rate | Rate | Rate | Rate |
| Belfast City Hospital | 0.386 | 0.173 | 0.234 | 0.523 |
| Mater Infirmorum | 0.097 | 0.201 | 0.394 | 0.374 |
| Musgrave Park Hospital | 0.000 | 0.555 | 0.000 | 0.000 |
| NICCO (formerly at Belvoir Park) | 0.000 | 0.392 | 0.000 | 0.000 |
| Royal Group of Hospitals | 0.270 | 0.280 | 0.181 | 0.197 |
| Belfast Health & Social Care Trust | 0.230 | 0.282 | 0.196 | 0.273 |
| | | | | |
| Antrim Area Hospital | 0.244 | 0.441 | 0.380 | 0.127 |
| Causeway Hospital | 0.286 | 0.511 | 0.338 | 0.098 |
| Dalriada Hospital | 0.000 | 0.000 | 0.000 | 0.000 |
| Mid Ulster Hospital | 0.000 | 0.000 | 0.000 | 0.000 |
| Moyle Hospital | 0.000 | 0.747 | 0.000 | 0.000 |
| Robinson Memorial Hospital | 0.000 | 0.000 | 0.000 | 0.000 |
| Whiteabbey Hospital | 0.545 | 0.000 | 0.000 | 0.287 |
| Northern Health & Social Care Trust | 0.240 | 0.379 | 0.284 | 0.115 |
| Ards Hospital | 0.000 | 0.000 | 0.000 | 0.000 |
| Downe Hospital | 0.330 | 0.647 | 0.000 | 0.000 |
| Lagan Valley Hospital | 0.000 | 0.000 | 0.166 | 0.322 |
| Ulster Hospital | 0.105 | 0.355 | 0.630 | 0.270 |
| South Eastern Health & Social Care Trust | | 0.307 | 0.478 | 0.246 |
| South Eastern Health & Social Care Trust | : 0.102 | 0.307 | 0.470 | 0.240 |
| Craigavon Area Hospital | 0.286 | 0.259 | 0.212 | 0.286 |
| Daisy Hill Hospital | 0.108 | 0.331 | 0.110 | 0.318 |
| Lurgan Hospital | 0.263 | 0.000 | 0.000 | 0.466 |
| South Tyrone Hospital | 0.388 | 0.724 | 0.000 | 0.000 |
| Southern Health & Social Care Trust | 0.246 | 0.283 | 0.143 | 0.292 |
| Altnagelvin Area Hospital | 0.212 | 0.601 | 0.324 | 0.378 |
| Tyrone County / Omagh Hospital | 0.000 | 0.778 | 0.401 | 0.000 |
| South West Acute Hospital | 0.510 | 0.288 | 0.433 | 0.453 |
| Waterside Hospital | 0.000 | 0.000 | 0.498 | 0.455 |
| Western Health & Social Care Trust | 0.269 | 0.456 | 0.383 | 0.331 |
| western neatth & social care Hust | 0.205 | 0.430 | 0.303 | 0.331 |
| NI TOTAL | 0.219 | 0.333 | 0.285 | 0.251 |

Table 5: Quarterly episodes of *C. difficile* reports in patients aged 65 years and over, by Trust, Jan 2017 - Dec 2017

| Trust | Jan - Mar 2017 | Apr - Jun 2017 | Jul - Sep 2017 | Oct - Dec 2017 |
|--|----------------|----------------|----------------|----------------|
| Trust | Episodes | Episodes | Episodes | Episodes |
| Belfast Health & Social Care Trust | 16 | 19 | 13 | 19 |
| Northern Health & Social Care Trust | 11 | 16 | 12 | 5 |
| South Eastern Health & Social Care Trust | 4 | 12 | 18 | 10 |
| Southern Health & Social Care Trust | 9 | 10 | 5 | 11 |
| Western Health & Social Care Trust | 10 | 16 | 14 | 12 |
| | | | | |
| NI TOTAL | 50 | 73 | 62 | 57 |
| NI community TOTAL | 31 | 37 | 35 | 38 |

Appendix A

Table 6: Quarterly rate of *C. difficile* reports in patients aged two years and over, by hospital, Jan 2017 – Dec 2017


| Usanital | Jan - Mar 2017 | Apr - Jun 2017 | Jul - Sep 2017 | Oct - Dec 2017 | |
|--|----------------|----------------|----------------|----------------|--|
| Hospital | Rate | Rate | Rate | Rate | |
| Belfast City Hospital | 0.254 | 0.217 | 0.187 | 0.343 | |
| Mater Infirmorum | 0.053 | 0.161 | 0.324 | 0.261 | |
| Musgrave Park Hospital | 0.000 | 0.316 | 0.000 | 0.000 | |
| NICCO (formerly at Belvoir Park) | 0.000 | 0.375 | 0.000 | 0.197 | |
| Royal Group of Hospitals | 0.187 | 0.147 | 0.137 | 0.176 | |
| Belfast Health & Social Care Trust | 0.153 | 0.192 | 0.152 | 0.202 | |
| Antrim Area Hospital | 0.196 | 0.283 | 0.283 | 0.125 | |
| Causeway Hospital | 0.282 | 0.496 | 0.183 | 0.174 | |
| Dalriada Hospital | 0.000 | 0.000 | 0.000 | 0.000 | |
| Mid Ulster Hospital | 0.000 | 0.000 | 0.000 | 0.000 | |
| Moyle Hospital | 0.000 | 0.718 | 0.000 | 0.000 | |
| Robinson Memorial Hospital | 0.000 | 0.000 | 0.000 | 0.000 | |
| Whiteabbey Hospital | 0.520 | 0.000 | 0.000 | 0.256 | |
| Northern Health & Social Care Trust | 0.214 | 0.303 | 0.212 | 0.132 | |
| Ards Hospital | 0.000 | 0.000 | 0.000 | 0.000 | |
| Downe Hospital | 0.258 | 0.521 | 0.000 | 0.000 | |
| Lagan Valley Hospital | 0.000 | 0.132 | 0.277 | 0.268 | |
| Ulster Hospital | 0.104 | 0.227 | 0.377 | 0.220 | |
| South Eastern Health & Social Care Trust | 0.098 | 0.227 | 0.332 | 0.207 | |
| Craigavon Area Hospital | 0.182 | 0.216 | 0.217 | 0.186 | |
| Daisy Hill Hospital | 0.126 | 0.188 | 0.126 | 0.182 | |
| Lurgan Hospital | 0.233 | 0.000 | 0.000 | 0.444 | |
| South Tyrone Hospital | 0.359 | 0.670 | 0.000 | 0.000 | |
| Southern Health & Social Care Trust | 0.179 | 0.215 | 0.166 | 0.195 | |
| Altnagelvin Area Hospital | 0.258 | 0.372 | 0.318 | 0.233 | |
| Tyrone County / Omagh Hospital | 0.000 | 0.711 | 0.376 | 0.000 | |
| South West Acute Hospital | 0.385 | 0.236 | 0.280 | 0.394 | |
| Waterside Hospital | 0.171 | 0.000 | 0.338 | 0.000 | |
| Western Health & Social Care Trust | 0.275 | 0.314 | 0.311 | 0.246 | |
| NI TOTAL | 0.179 | 0.240 | 0.219 | 0.196 | |
| | | | | | |


Table 7: Quarterly episodes of *C. difficile* reports in patients aged 2 years and over, by Trust, Jan 2017 - Dec 2017

| Trust | Jan - Mar 2017 | Apr - Jun 2017 | Jul - Sep 2017 | Oct - Dec 2017 |
|--|----------------|----------------|----------------|----------------|
| Trust | Episodes | Episodes | Episodes | Episodes |
| Belfast Health & Social Care Trust | 21 | 26 | 20 | 27 |
| Northern Health & Social Care Trust | 15 | 20 | 14 | 9 |
| South Eastern Health & Social Care Trust | 6 | 14 | 20 | 13 |
| Southern Health & Social Care Trust | 11 | 13 | 10 | 12 |
| Western Health & Social Care Trust | 17 | 19 | 19 | 15 |
| | | | | |
| NI TOTAL | 70 | 92 | 83 | 76 |
| NI community TOTAL | 34 | 41 | 39 | 44 |

Appendix B

Trends in *C. difficile* rates in <u>inpatients aged 65 years and over</u>, by HSCT and quarter, 2005–2017





Appendix C

Table 8: C. difficile reports among inpatients in Northern Ireland aged 65 years and over, by financial year and HSCT

| Financial Year | | | | | | | | | | | | |
|------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| HSCT | 2005/06 | 2006/07 | 2007/08 | 2008/09 | 2009/10 | 2010/11 | 2011/12 | 2012/13 | 2013/14 | 2014/15 | 2015/16 | 2016/17 |
| Belfast | 352 | 336 | 280 | 327 | 163 | 147 | 117 | 124 | 90 | 103 | 102 | 90 |
| Northern | 184 | 172 | 297 | 172 | 102 | 103 | 75 | 73 | 56 | 54 | 43 | 39 |
| South Eastern | 243 | 256 | 199 | 135 | 98 | 80 | 72 | 50 | 50 | 53 | 70 | 39 |
| Southern | 168 | 130 | 134 | 164 | 37 | 17 | 28 | 33 | 25 | 27 | 40 | 27 |
| Western | 96 | 132 | 109 | 104 | 71 | 46 | 35 | 58 | 37 | 53 | 43 | 40 |
| Northern Ireland | 1043 | 1026 | 1019 | 902 | 471 | 393 | 327 | 338 | 258 | 290 | 298 | 235 |